alla Est. 360-733-6775

#### MATERIAL SAFETY DATA SHEET

IDENTITY: 2505 SALMON CLOTH

Tillman #585

SECTION I:

منسب ---

SOUTHERN MANUFACTURING, INC.

P.O. BOX 32427

CHARLOTTE, NORTH CAROLINA 28234

TELEPHONE #: 1-704-372-2880

EMERGENCY #: 1-704-372-2880

DATE PREPARED: 3/25/94

## SECTION II: HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

CHEMICAL NAME	CAS NO	OSHA PEL	ACGIH TLV
Fibrous Glass Formaldehyde Antimony Trioxide Decabromodiphenyl Oxide	65997-17-3 50-00-0 1309-64-4 1163-19-5	10mg/cuM 0.75ppm TWA 0.5 mg/cuM Not Est.	0.75 ppm TWA

## SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: N/A\*

SPECIFIC GRAVITY: N/D\*\*

VAPOR PRESSURE (mm Hg): N/A\*

MELTING POINT: N/A\*

VAPOR DENSITY: N/A\*

EVAPORATION RATE: N/A\*

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: SALMON WOVEN GLASS CLOTH/NO ODOR

## SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A\*

FLAMMABLE LIMITS: N/A\*

EXTINGUISHING MEDIA: WATER, FOAM, CO2, DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: In a sustained fire, self-contained breathing apparatus should be worn.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Burning organic coating produces dense smoke with the potential for toxic vapors.

N/A\* = NOT APPLICABLE N/D\*\* = NOT DETERMINED

### SECTION IV: REACTIVITY DATA

STABILITY:

STABLE \_\_\_X\_\_\_

UNSTABLE \_\_\_\_\_

#### INCOMPATIBILITY (MATERIAL TO AVOID):NONE KNOWN

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Thermal decomposition may produce carbon monoxide, carbon dioxide and hygrogen chlorides

HAZARDOUS POLYMENZATION: MAY OCCUR \_\_\_\_\_ WILL NOT OCCUR :X\_\_\_\_

#### SECTION VI: HEALTH HAZARD DATA

ROUTE OF ENTRY: INHALATION: YES SKIN: YES INGESTION: YES

HEALTH HAZARD (ACUTE AND CHRONIC) ACUTE: Transient mechanical irritation.

CHRONIC: None Known

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO

OSHA REGULATED? NO

SIGNS AND SYMPTOMS OF EXPOSURE: Skin irritation and occasionally upper respiratory tract.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Any condition generally aggravated by mechanical irritants in the air or on skin.

EMERGENCY AND FIRST AID PROCEDURES: Cleanse skin with mild soap with room temperature water. If fibers should get into the eyes, cleanse with clear water.

# SECTION VII: PRECAUTIONS FOR HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: No special precautions are required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: For maximum comfort, avoid excessive contact with skin and use good personal hygiene.

OTHER PRECAUTIONS: None Known

## SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION: Not normally required.

VENTILATION: LOCAL EXHAUST: When being heated MECHANICAL (GENERAL): Recommended.

PROTECTIVE GLOVES: Not normally required

EYE PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not normally required

WORK HYGIENE PRACTICE: Shower at end of work day.