

Enerpac, A Division of Actuant N86 W12500 Westbrook Crossing Menomonee Falls, WI 53051 Phone: (262) 293-1500 Fax: (262) 293-7040

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date	14-Oct-2019	Revision Date	14-Oct-2019	Revision Number 1
1. Identific	ation			
Product ident	ifier_			
Product Name	e	Enerpac LX 70 Hydrauli	c Oil	
Other means	of identification			
Product Code	e(s)	117		
Synonyms		CM50885 LX104 (Drum:	s), LX101(Gallons)	
Other informa	ation	Blend Revision ID 3211		
Recommende	ed use of the chemical	and restrictions on use	-	
Recommende	ed use	Lubricant		
Restrictions of	on use	No information available		
Details of the	Details of the supplier of the safety data sheet			
<u>Supplier Address</u> U.S. Lubricants, a Division of U.S. Venture Inc. 425 Better Way Appleton, WI 54915 800-490-4900				
Emergency te	lephone number			
Emergency Te	elephone	800-490-4900 Chemtrec 1-800-424-93	00 (Account# 705487)	

# 2. Hazard(s) identification

### Classification

Aspiration hazard

Category 1

# Label elements

# Danger

Hazard statements May be fatal if swallowed and enters airways



# **Precautionary Statements - Response**

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. Precautionary Statements - Storage Store locked up Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

### Mixture

#### Synonyms

# CM50885 LX104 (Drums), LX101(Gallons)

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Hydrotreated heavy paraffinic petroleum distillate	64742-54-7	30-40	-	-
2,6-Di-tert-butylphenol	128-39-2	<1	-	-
Mineral oil*	-	<1	-	-
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	<1	-	-

#### **Chemical Additions**

\* The mineral oil contained in this material may be described by one or more of the following CAS Nos.: 64742-54-7, 64742-65-0, 64742-55-8, and 64742-56-9.

# 4. First-aid measures

# Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

	pulmonary edema may occur.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.	
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.	
Ingestion	Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.	

# 5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Water spray jet.
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Oxides of sulfur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic compounds.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	ct None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

# **Personal precautions**

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Extremely slippery when spilled. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Deny entry to unauthorized and unprotected personnel. Ensure adequate ventilation.

## Methods and material for containment and cleaning up

Methods for containment	Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

# 7. Handling and storage

# Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		

Storage ConditionsKeep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of<br/>children. Store locked up. Store away from other materials.

# 8. Exposure controls/personal protection

#### Control parameters

## Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrotreated heavy paraffinic	TWA: 5 mg/m <sup>3</sup> (inhalable	-	-
petroleum distillate	fraction)		
64742-54-7			
Mineral oil*	TWA: 5 mg/m <sup>3</sup> (inhalable	PEL: 5 mg/m <sup>3</sup> (mist)	REL: 5 mg/m <sup>3</sup> (mist)
-	fraction)		STEL: 10 mg/m <sup>3</sup> (mist)
Petroleum distillates,	TWA: 5 mg/m <sup>3</sup> (inhalable	PEL: 5 mg/m <sup>3</sup> (mist)	REL: 5 mg/m <sup>3</sup> (mist)
hydrotreated light naphthenic	fraction)		STEL: 10 mg/m <sup>3</sup> (mist)
64742-53-6			REL: 350 mg/m <sup>3</sup>
			Ceiling limit: 1,800 mg/m <sup>3</sup>

# Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Goggles.
Hand protection	Impervious gloves. Protective gloves.

Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

# 9. Physical and chemical properties

# Information on basic physical and chemical properties

Appearance	<u> </u>	
Physical state	Liquid	
Color	Light amber	
Odor	Mild Petroleum	
Odor threshold	No information available	
Property_	<u>Values</u>	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	190.6 °C / 375.1 °F	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.845 (7.03 lb/gal)	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	14 - 16 cSt	@ 40 °C
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	Negligible	
Liquid Density	No information available	
Bulk density	No information available	
10. Stability and reactivity		

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.

Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Contact with eyes may cause irritation.	
Skin contact	Specific test data for the substance or mixture is not available. Repeated exposure may cause skin dryness or cracking.	
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	

Acute toxicity

#### Numerical measures of toxicity No information available

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated heavy paraffinic petroleum distillate	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	
2,6-Di-tert-butylphenol	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	
Petroleum distillates, hydrotreated light naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2180 mg/m <sup>3</sup> (Rat)4 h

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

## Carcinogenicity

The classification listed below for the petroleum distillates in this product pertains to those that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrotreated heavy paraffinic petroleum distillate 64742-54-7	A2	Group 1	Known	Х
Mineral oil* -	A2	Group 1	Known	X
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present				
Reproductive toxicity	No information available.			
STOT - single exposure No information available.				
STOT - repeated exposure No information available.				
Aspiration hazard	May be fatal if swallowed and enters airways.			

# 12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrotreated heavy paraffinic petroleum distillate 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
2,6-Di-tert-butylphenol 128-39-2	-	-	-	EC50: =0.45mg/L (48h, Daphnia magna)
Mineral oil* -	-	LC 50: > 100 mg/L (4d, Fathead Minnow)	-	EC 50: > 10,000 mg/L (2d, Water flea (Daphnia magna)) EC 50: > 10 mg/L (21d, Water flea (Daphnia magna)) NOEC: > 10 mg/L (21d, Water flea (Daphnia magna))
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)

# Persistence and degradability

No information available.

**Bioaccumulation** 

No information available.

Mobility in soil	No information available.
Other adverse effects	No information available.

13. Disposal considerations			
Waste treatment methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers.		

# 14. Transport information

DOT	Not regulated
TDG	Not regulated
MEX_	Not regulated
IATA_	Not regulated
IMDG_	Not regulated

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# International Inventories

TSCAContact supplier for inventory compliance status.DSL/NDSLContact supplier for inventory compliance status.

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

# <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
Toluene - 108-88-3	Developmental	

# U.S. State Right-to-Know Regulations

#### **US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates,	-	Х	-
hydrotreated light naphthenic			
64742-53-6			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. Other information

<u>NFPA</u>	Health hazards 2	Flammability	1	Instability 0	Physical and chemical		
<u>HMIS</u>	Health hazards 2	Flammability	1	Physical hazards 0	properties - Personal protection X		
Key or legend to abbreviations and acronyms used in the safety data sheet							
LegendSection 8: EXPOSURE CONTROLS/PERSONAL PROTECTIONTWATWA (time-weighted average)STELCeilingMaximum limit value*		STEL (Short Term Exposure Limit) Skin designation					
<b>Key literature references and sources for data used to compile the SDS</b> U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))							

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization uing Dat 14-Oct-2010

Issuing Date	14-Oct-2019
Revision Date	14-Oct-2019
Revision Note	Initial Release.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**