



Search

MSDS 250,000+

MSDS : LUBREASE AEROSOL, 5033

CAS : 107-41-5  
8030-30-6

NAME : hexylene glycol  
naphtha (petroleum spirits or benzin)

Catalog of Chemical Suppliers, Buyers, Custom Synthesis Companies And Equipment Manufacturers  
[ LUBREASE AEROSOL, 5033 107-41-5 8030-30-6 ]

Suppliers:

Not Available

Buyers:

Not Available

=====  
===== Product Identification =====

MSDS NAME:LUBREASE AEROSOL, 5033

NIIN:00N008453

MSDS Number: BCQHQ

==== Responsible Party ====

Company:NATIONAL CHEMSEARCH (MCH CORP.)

Address:2727 CHEMSEARCH BLVD

Box:152170

City:IRVING

State:TX

ZIP:75015

Country:US

CAGE:DO481

==== Contractor Identification ====

Company:NATIONAL CHEMSEARCH DIV OF NCH CORP

Address:2727 CHEMSEARCH BLVD

Box:152170

City:IRVING

State:TX

ZIP:75015-5000

Country:US

Phone:972-438-1381

CAGE:DO481

Company:NCH CORP

Address:2727 CHEMSEARCH BLVD

Box:152170

City:IRVING

State:TX

ZIP:75015-2170

Country:US

Phone:972-438-0563

CAGE:20913

=====  
===== Composition/Information on Ingredients =====

Name:HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000

OSHA PEL:C 25 PPM

ACGIH TLV:C 25 PPM; 9192

Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

OSHA PEL:100 PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE:IRRIT,RED,TEARS,BLUR  
SIGHT.SKIN:IRRIT,DERMATITIS,CHAP.INGEST:NAUSEA,CRAMPS,VOMIT, (SEE  
SUPP DATA

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH W/PLENTY OF H\*2O FOR @ LEAST 15 MIN.CALL MD IF  
IRRIT.TREATMENT MOST EFFECTIVE WITHIN 1 MIN.SKIN:WASH WELL  
W/SOAP,H\*2O.RMV CONTAM CLTHG,WASH BEFORE REUSE.APPLY EMOLLIENT RICH  
CREAM.INHA L:RMV TO FRESH AIR.SUPPORT BRTHG (SEE OTHR PRECAUT

=====  
Fire Fighting Measures  
=====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:FOAM,CO\*2,DRY CHEMICAL,H\*2O SPRAY.  
Fire Fighting Procedures:NIOSH/MSHA APPRVD SCBA,FULL PROT EQUIP.SPRAY  
(SEE SUPP DATA)  
Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESSURE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:AERSOL CONTAINER SO SPILL UNLIKELY.PICK UP  
W/SHOVEL,RAG,ETC. AND PLACE IN LABELED CONTAINERS.CLEAN RESIDUE  
WITH GOOD DETERGENT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE BETWEEN 30F & 120F INDOORS.KEEP  
AWAY FROM IGNIT SOURCES.CONTENTS UNDER PRESS.READ LABEL BEFORE USE  
PROD.NEVER POINT SPRAY HEAD TOWARD FACE.  
Other Precautions:EMER PROC:(GIVE O\*2/ARTF RESP).CALL MD  
IMMED.INGEST:DONT INDUCE VOMIT.KEEP WARM,QUIET.CALL MD. NOTE TO  
MD:GASTRIC LAVAGE IS INDICATED. VAP PRESS:<0.05. DATE OF  
PREP:10-28-85.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR  
EXPOSURE OF CONCERN.  
Ventilation:GENL EXHAUST VENT TO KEEP WORKPLACE CONC BELOW TLV.  
Protective Gloves:NEOPRENE  
Eye Protection:CHEMICAL WORKERS GOGGLES  
Other Protective Equipment:APRON DEPENDING ON SEVERITY OF EXP;NITRILE  
RUB GLVS SUITABLE  
Supplemental Safety and Health  
FIRE PROC:H\*2O ON CNTNR TO COOL,AVOID RUPTURE. OVEREXP:DIARR.MATL  
ASPIRATED TO LUNGS POSS CHEM PNEUMONITIS,FATAL.INHAL:NASAL,RESP  
IRRIT.DELIBERATE CONC,INHAL CONTENTS POSS ASPHYXIATION,DEATH.

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:500F (260C)  
Vapor Density:10

Spec Gravity:0.900  
 Evaporation Rate & Reference:< 0.01 (BU AC)  
 Solubility in Water:NEGLIGIBLE  
 Appearance and Odor:BLACK COLOR,SEMI-VISCOUS,MINERAL SPIRIT ODOR.  
 Percent Volatiles by Volume:3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
 STRONG OXIDIZERS  
 Hazardous Decomposition Products:CO & SMOKE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE & LOCAL REGULATIONS. DO NOT INCINERATE OR PUNCTURE CAN. DISPOSE OF CAN IN APPROVED SANITARY LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

\*\*\* END OF RECORD \*\*\*

[Search More](#)

**ALL PAGES On Chemical Property IN THIS GROUP**

NAME	CAS
<a href="#">83-6-104232 ELECTROSTATIC TONER</a>	1333-86-4 9003-01-4 557-05-1 112945-52-5
<a href="#">83-7-104231 ELECTROSTATIC TONER</a>	1333-86-4 9003-01-4 557-05-1 112945-52-5
<a href="#">83-2-104228 ELECTROSTATIC TONER</a>	1333-86-4 9003-01-4 557-05-1 112945-52-5
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 612</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 613</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6

<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 614</a>	8030-30-6 8030-30-6 108-88-3 75-09-2 1330-20-7
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 615</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 616</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 617</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 618</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 619</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 620</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 621</a>	1330-20-7 8030-30-6 8030-30-6 108-88-3 75-09-2
<a href="#">DERUSTO METALLIC FINISH SPRAY PAINT 623</a>	108-88-3 75-09-2 1330-20-7 8030-30-6 8030-30-6
<a href="#">PYDRAUL 10E HYDRAULIC FLUID</a>	115-86-6
<a href="#">PYDRAUL 50E HYDRAULIC FLUID</a>	115-86-6
<a href="#">PYDRAUL 90E HYDRAULIC FLUID</a>	115-86-6
<a href="#">PYDRAUL 115E HYDRAULIC FLUID</a>	115-86-6
<a href="#">PYDRAUL 230C HYDRAULIC FLUID</a>	115-86-6
<a href="#">PYDRAUL 312C HYDRAULIC FLUID</a>	115-86-6
<a href="#">TRIBUTOXYETHYL PHOSPHATE</a>	78-51-3
<a href="#">HYDROCHLORIC ACID SOLUTION 3.0 N</a>	7647-01-0
<a href="#">STANNOUS CHLORIDE &amp; HYDROCHLORIC</a>	7647-01-0 7772-99-8

<a href="#">PROPANE LP GAS</a>	74-98-6 115-07-1 74-84-0 75-28-5 74-82-8
<a href="#">ND-290, 0015 PRODUCT NO.</a>	7664-38-2 1341-49-7
<a href="#">LUBREASE AEROSOL, 5033</a>	107-41-5 8030-30-6
<a href="#">BRES</a>	7647-01-0
<a href="#">DRI-COAT</a>	8030-30-6
<a href="#">OXFORD LIFT</a>	111-76-2
<a href="#">MAXIM, PRODUCT CODE 78</a>	111-76-2 6834-92-0 1310-58-3
<a href="#">SYNTHOL COLOR SOLV REDUCER, 8005</a>	64742-89-8 108-88-3
<a href="#">SUPER CATYL-AD, 8870</a>	123-86-4 822-06-0
<a href="#">OSHA YELLOW ENAMEL, 01310 (LAB NO. 31957)</a>	8030-30-6 75-09-2 108-88-3 71-36-3
<a href="#">MOFIL</a>	112-34-5 7439-92-1
<a href="#">MODAC</a>	112-34-5 7439-92-1
<a href="#">MICROPATCH,MC-753</a>	117-81-7 108-10-1 78-93-3 108-94-1
<a href="#">LAMINAR X500 GLOSS WHITE 17886, 4-W-3,PT A</a>	111-15-9 108-88-3 78-93-3 108-94-1
<a href="#">FLOOR COATING,G-5 TILE RED</a>	8052-41-3
<a href="#">FLOOR COATING,G-1 LIGHT GRAY</a>	8052-41-3
<a href="#">FLOOR COATING,G-3 SKID RESISTANT LIGHT GRAY</a>	64742-89-3 8052-41-3
<a href="#">FLOOR COATING,G-4 BATTLESHIP GRAY</a>	8052-41-3
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9322 SKY BLUE</a>	107-98-2 1330-20-7 71-36-3
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9331 LIGHT GREEN</a>	1330-20-7 71-36-3 107-98-2
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9332 AQUA GREEN</a>	107-98-2 1330-20-7
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9347 YELLOW</a>	107-98-2 1330-20-7 71-36-3
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9365 BRIGHT RED</a>	107-98-2 1330-20-7 71-36-3
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9368 TILE RED</a>	107-98-2 1330-20-7 71-36-3

<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9371 DUNE TAN</a>	107-98-2 1330-20-7 71-36-3
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9382 LIGHT GRAY</a>	71-36-3 107-98-2 1330-20-7
<a href="#">HEAVY DUTY EPOXY TOPCOAT, 9386 NAVY GRAY</a>	107-98-2 1330-20-7 71-36-3

Free MSDS Search ( Providing 250 , 000+ Material Properties )  
Chemcas Copyright Reserved  
Last modified: