



MCCULLOCH BAR & CHAIN OIL

MSDS Number

BQTJQ

National Stock Number

9150-00N036639

Product Name

MCCULLOCH BAR & CHAIN OIL

Manufacturer

OLYMPIC OIL LTD

Product Identification

Product ID:MCCULLOCH BAR & CHAIN OIL

MSDS Date:05/25/1986

FSC:9150

NIIN:00N036639

MSDS Number: BQTJQ

Responsible Party

OLYMPIC OIL LTD

5000 WEST 41ST ST

CICERO , IL 60650

US

Emergency Phone: 708-458-8500

Info Phone: 708-458-8500

Cage: OWSZ9

Contractor

OLYMPIC OIL, LTD

CICERO, IL 69659

US

708-458-8500

Cage: LYMPI

Ingredients

MINERAL OIL PRODUCTS (TYPE NOT SPECIFIED); (MINERAL OIL)

Fraction By Weight: 96%

POLYMERIC ADDITIVE; (POLYMER ADDITIVE)

Fraction By Weight: 2%

ADDITIVE; (ANTIWEAR ADDITIVE CONTAINING INGREDIENT 4)

Fraction By Weight: 2%

10 MG/M3 TDUST;5 MG/M3 RDUST (PEL

CAS: 7440-66-6

RTECS: ZG8600000



OSHA PELSEE INGREDIENT NAME

ACGIH TLV: 10 MG/M3 TDUST

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SLIGHTLY TOXIC, APPROXIMATE LETHAL
ORAL DOSE IS 1 PT FOR A 150 POUND HUMAN ADULT.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:INGESTION MAY CAUSE HEADACHE, DROWSINESS,
VOMITING, DIARRHEA OR NAUSEA.
Medical Cond Aggravated by Exposure:HEART RATE INCREASE.

First Aid

First Aid:INHAL: REMOVE TO FRESH AIR. SKIN: WASH WITH SOAP AND WATER.
EYE: FLUSH WITH LARGE VOLUMES OF WATER. INGEST: DO NOT INDUCE
VOMITING. INJECTION: EMERGENCY SEEK AID IMMEDIATELY.

Fire Fighting

Flash Point Method:COC
Flash Point:480F,249C
Extinguishing Media:USE DRY CHEMICAL FOAM, CARBON DIOXIDE OR WATER
FOAM.
Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOSED CONTAINERS.
WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:WATER MAY CAUSE FROTHING, TREAT AS A
PETROLEUM PRODUCT FIRE.

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF HEAT OR IGNITION. CONTAIN
SPILL WITH SUITABLE MATERIAL. REPORT SPILLS TO LOCAL AUTHORITIES.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE BELOW 120F.
Other Precautions:CAUTION-EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE
WHICH COULD INCLUDE FLAMMABLE OR EXPLOSIVE VAPORS.

Exposure Controls

Respiratory Protection:USE RESPIRATOR APPROVED FOR ORGANIC VAPORS AND
MISTS.
Ventilation:LOCAL: REQUIRED IF MIST EXCEEDS 5 MG/M3. MECHANICAL:
EXPLOSION PROOF.
Protective Gloves:MUST BE OIL IMPERVIOUS.
Eye Protection:CHEMICAL WORKERS GOGGLES
Other Protective Equipment:WEAR BODY COVERING WORK CLOTHES TO AVOID
EXPOSURE.
Work Hygienic Practices:LAUNDR SOILED WORK CLOTHES BEFORE REUSE.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:V6
Boiling Pt:B.P. Text:475F,246C
Vapor Pres:LOW
Vapor Density:Spec Gravity:0.862 (H*20=1)
Evaporation Rate & Reference:Appearance and Odor:DARK BROWN - SLIGHT PETROLEUM OILY ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS.
Stability Condition to Avoid:NONE.



Hazardous Decomposition Products:CO, CO*2.

Disposal

Waste Disposal Methods:USER MUST CHECK LOCAL AND STATE LAWS TO DETERMINE IF THE MATERIAL IS A HAZARDOUS WASTE AT THE TIME OF DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.