



EPOXY LV-PART B, 060020

MSDS Number

BTGSS

National Stock Number

8010-00N043458

Product Name

EPOXY LV-PART B, 060020

Manufacturer

BURKE CHEMICALS

Product Identification

Product ID:EPOXY LV-PART B, 060020

MSDS Date:04/02/1991

FSC:8010

NIIN:00N043458

MSDS Number: BTGSS

Responsible Party

BURKE CHEMICALS

22039 S WESTWARD AVE

LONG BEACH , CA 90810

US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 416-665-7222

Preparer: PETER FUQUA

Cage: HO842

Contractor

BURKE CHEMICALS

LONG BEACH, CA 90810

US

416-665-7222

Cage: HO842

Ingredients

MODIFIED POLYAMINE; (MODIFIED POLYAMINE MIXTURE)

OSHA PELN/K

ACGIH TLV: N/K

PHENOL (SARA III)

CAS: 108-95-2

RTECS: SJ3325000

Fraction By Weight: 8.5%

OSHA PEL5 PPM; SKIN

ACGIH TLV: 5 PPM; SKIN

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS



Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SKIN IRRITATION. CHRONIC: SKIN IRRITATION.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:INHALATION: HEADACHE. EYES: REDNESS, TEARING, IRRITATION. SKIN CONTACT AND ABSORPTION: IRRITATION, SENSITIZATION AND DERMATITIS.
Medical Cond Aggravated by Exposure:SKIN IRRITATION.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. TREAT SYMPTOMATICALLY. EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. LAUNDRER CLOTHING BEFORE REUSE. INGESTION: DO NOT INDUCE VOMITING AND CONSULT PHYSICIAN.

Fire Fighting

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . REMOVE ALL IGNITION SOURCES.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY RUPTURE DUE TO BUILD UP OF PRESSURE WHEN EXPOSED TO HEAT.

Accidental Release

Spill Release Procedures:SALVAGE FREE LIQUID WITH SHOVEL. BROADCAST ABSORBENT MATERIAL AND PLACE IN A SEALED CONTAINER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:PREVENT ALL EYE AND SKIN CONTACT. AVOID BREATHING VAPORS. STORE IN A COOL DRY PLACE WITH ADEQUATE VENTILATION.
Other Precautions:KEEP DRUMS CLOSED TIGHTLY AND IN AN UPRIGHT POSITION.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR PROTECTION IS REQUIRED.
Ventilation:LOCAL AND MECHANICAL EXHAUST IS RECOMMENDED.
Protective Gloves:NEOPRENE OR RUBBER.
Eye Protection:ANSI APPRVD CHEM SAFETY GOGGLES .
Other Protective Equipment:FURTHER SAFETY EQUIPMENT NECESSARY TO PREVENT CONTACT WITH MATERIAL.
Work Hygienic Practices:WASH HANDS BEFORE HANDLING FOOD.
Supplemental Safety and Health
KEY1;T6.

Chemical Properties

HCC:T6
Vapor Density:HVR/AIR
Spec Gravity:1.0 (H2O=1)
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:NON SOLUBLE
Appearance and Odor:BLACK MIXTURE, MILD ODOR

Stability

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT WITH STRONG OXIDIZING AGENTS, MINERAL ACIDS.
Stability Condition to Avoid:HIGH HEAT.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN.

Disposal



Waste Disposal Methods:DISPOSE OF HAZARDOUS WASTE IN ACCORDANCE WITH STATE, LOCAL AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.