

COURTAULDS AEROSPACE INC -- PRC RUBBER CALK 6000 SEALANT -- 8030-00N056696

=====
Product Identification
=====

Product ID:PRC RUBBER CALK 6000 SEALANT

MSDS Date:02/01/1989

FSC:8030

NIIN:00N056696

MSDS Number: BWGHQ

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:C.H.

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====
Composition/Information on Ingredients
=====

Ingred Name:XYLENE (SARA 313) (CERCLA). VAP DENS:3.66.

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 5%

OSHA PEL:100 PPM

ACGIH TLV:100 PPM;150 STEL

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:VOLATILE ORGANIC COMPONENT (WITH EXEMPTIONS): 43 G/L.
RTECS #:9999999VO

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:IRRITATION. SKIN:LOCAL
IRRITATION. INHAL:IRRITATION TO NOSE & THROAT. PROLONGED EXPOSURE
ABOVE PEL MAY CAUSE HEADACHE, DIZZINESS & UNCONSCIOUSNESS.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INGEST:CALL MD IMMEDIATELY . EYES:FLUSH W/LUKE WARM WATER
FOR
AT LEAST 15 MINUTES, CONSULT MD. SKIN:WASH W/SOAP & WATER. IF
SYMPTOMS PERSIST, CONSULT MD. INHAL:REMOVE TO FRESH AIR. IF
SYMPTOMS A RE PRESENT CONSULT MD.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:140F,60C
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM, WATER.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE
W/1,1,1-TRICHLOROETHANE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE TO EXPOSURE OF CONCERN .

Ventilation:GENERAL VENTILATION.

Protective Gloves:SOLVENT RESISTANT GLOVES.

Eye Protection:ANSI APPROVED CHEM SAFETY GOGGLES

Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER MEETING ANSI DESIGN CRITERIA .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Vapor Density:SEE ING

Spec Gravity:1.5

Solubility in Water:NEGLIGIBLE

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF SULFUR, CARBON; HYDROGEN SULFIDE.

=====
Disposal Considerations
=====

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT FEDERAL, STATE & LOCAL REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to

their
particular situation.