

SAFETY ORIENTATION QUIZ

The information needed to correctly answer the questions in this quiz are given by your HaskellDavis trainer and the training videos you have seen.

date

first name

last name

1. What does GFCI stand for?
 - A. General Fact Check Indicator
 - B. Ground Fault Checking Indicator
 - C. General Frequency Check Interpreter
 - D. Ground Fault Circuit Interrupter
2. A wet wooden ladder can be a good electrical conductor.
 - A. - True
 - B. - False
3. Always assume that overhead power lines are energized. Keep tools and any equipment as far away as possible and never any closer than _____ away from them.
 - A. 8 feet
 - B. 5 feet
 - C. 10 feet
 - D. 30 feet
4. Welding units often use thousands of times the electrical current necessary to kill a person.
 - A. - True
 - B. - False
5. Both hands must be free when climbing a ladder.
 - A. - True
 - B. - False
6. A standard guard rail always includes which of the following?
 - A. A top rail
 - B. Is 39 to 45 inches in height
 - C. All are correct
 - D. A mid rail
7. If employees use a boom supported elevated work platform, they must wear a safety harness and lanyard device fixed to the attachment points of the boom.
 - A. When 6 feet off the ground
 - B. When 10 feet off the ground
 - C. When 6 feet off the ground
 - D. Regardless of height

SAFETY ORIENTATION QUIZ

8. Personal fall arrest systems must be connected to an anchor point capable of catching a falling worker. In a fall, your life depends on the anchor holding. Make sure the anchor point can support at least _____ lbs.
- A. 2000
 - B. 3000
 - C. 4000
 - D. 5000
9. What extinguishers are safe for use on ordinary combustible fires like furniture or papers, on fires of flammable liquids like grease or nail polish remover, and on fires in electrical equipment?
- A. Pressurized water
 - B. Carbon dioxide
 - C. ABC
 - D. Class K
10. The best way to survive a fire is to have working smoke alarms and a quick safe _____.
- A. None are correct
 - B. Escape route
 - C. Energy plan
 - D. Documentation plan
11. Even after the fire appears to be out keep an eye on the site until the fire department arrives.
- A. - True B. – False
12. If you choose the wrong extinguisher or use it in the wrong circumstances you could make a small fire worse and you could be injured or even killed.
- A. - True B. – False
13. Using water on a Class B fire can spread the fire to a larger area causing more damage or even injuries.
- A. - True B. – False
14. Make sure power tool _____ are in place, properly adjusted, and in working order.
- A. Saw blades
 - B. Cutting tools
 - C. Machine guards
 - D. Auger bits

SAFETY ORIENTATION QUIZ

15. Putting batteries into a fire or exposing them to high heat may cause them to _____
- A. Drain
 - B. Explode
 - C. Over charge
 - D. Melt
16. Avoid carrying _____ powder actuated tools from job to job.
- A. Cleaned
 - B. Loaded
 - C. Oiled
 - D. Heavy
17. Hazard Statements are used to describe the nature of the chemical hazards including, where appropriate, the degree of hazard.
- A. - True B. - False
18. In 2003, the United Nations adopted the G.H.S. for the classifying and labeling of hazardous chemicals. What does G.H.S. stand for?
- A. Good Hazard System
 - B. Geo Hazards Systems
 - C. Globally Harmonized System
 - D. Good Housekeeping System
19. If you find a power tool with a missing guard.
- A. Leave it where you found it, it's unsafe
 - B. Take it out of service and tag it for repair or replacement
 - C. Use it until end of shift
 - D. Make the needed repairs yourself
20. When handling material manually, if there's enough room, your first option should be to use
- A. Your back
 - B. Material handling equipment
 - C. Leverage and muscle
 - D. Sharp jerking motions
21. Noise Induced Hearing Loss can be fully repaired with medical aid.
- A. - True B. - False

SAFETY ORIENTATION QUIZ

22. What is done to monitor a worker's hearing over time?
- A. Both audiometric and genetic testing
 - B. Genetic Testing
 - C. None of these
 - D. Audiometric Testing
23. Warning labels on stepladders clearly state that the top step and top cap are not to be used as a step.
- A. - True
 - B. - False
24. The side rails of an extension ladder should extend at least ____ feet above the surface to be accessed.
- A. 2
 - B. 5
 - C. 3
 - D. 4
25. Do not use metal or conductive ladders near energized electrical equipment or overhead power lines.
- A. - True
 - B. - False
26. Sometimes it is necessary to tie or fasten ladder sections together to make a longer ladder.
- A. - True
 - B. - False
27. Employees authorized to perform work on a system
- A. Should not have to be directly involved in the isolation and lock out tag out of the system
 - B. Should pay no attention to as-built drawings
 - C. Should be able to completely rely on as-built drawings
 - D. Should be directly involved in the isolation and lock out tag out of the system
28. Supervisors must verify, check, or test electrical panels or electrically powered equipment to ensure they are in fact de-energized. This is all that is required for affected workers to begin work.
- A. - True
 - B. - False
29. All contractors and subcontractors working on locked out systems must be made aware of modifications that could affect the integrity of lock out tagout prior to beginning work.
- A. - True
 - B. - False

SAFETY ORIENTATION QUIZ

30. Workers must verify, check, or test locked out electrical panels or electrically powered equipment to ensure they are in fact de-energized before working on any systems or equipment.
A. - True B. – False
31. Approved eye and face protection must meet ANSI standard Z87 or Z87.1 while working on any Haskell project.
32. Scaffold planks must be in good condition. There should be no cracks or splits in wooden or metal planks.
A. - True B. – False
33. Once a scaffold has been erected, never remove any component of the scaffold.
A. - True B. – False
34. To climb onto a scaffold, never use any of the diagonal bracing or any of the support members.
A. - True B. – False
35. Any time someone is working below a scaffold or passing underneath a scaffold toeboards are required to be fitted at the work platform in those areas.
A. - True B. – False

Haskell Davis Certifies That

printed employee name

Has successfully completed the following topics of safety training:

Asbestos Awareness	Hearing Conservation
Confined Space Entry	Heat Related Illness
Electrical Safety	Ladder Safety
Fall Protection	Lockout Tagout
Fire Extinguishers	Personal Protective Equipment
Hand & Power Tools	Respiratory Protection
Hazard Communication	Scaffold User Safety
Hazard Recognition	

Trainer Name: _____

employee signature

date

trainer signature

date