



CONFINED SPACES QUIZ

Name: _____
Please Print

Date: _____

Instructions: Please print your first and last name at top of this quiz and write today's date. Listen carefully to the lesson material that is presented. The answers to all the questions on this quiz are contained in the material. When you have finished please sign the last page.

1. There are basically two types of confined space; "Non Permit Required" and "Permit Required" confined spaces.
T F
2. All confined spaces must be considered I.D.L.H. until proven otherwise by methods such as atmospheric monitoring. What does I.D.L.H. stand for?
 - a. Instant Death to Lieder Hosen
 - b. Immediately Determine Life Hazards
 - c. Immediately Dangerous to Life and Health
 - d. All of the above
3. All permit required confined spaces must be labeled by posting danger signs that explain the hazards.
T F
4. Posting red barricade tape would satisfy the requirement for confined space labeling.
T F
5. Before entering a permit required confined space and entry permit must be properly filled out.
T F
6. Confined space entry permits are valid for the duration of the confined space project.
T F
7. A confined space attendant may perform other duties while monitoring a confined space.
T F
8. A worker is only considered to have entered a confined space if their body is completely inside the space.
T F



CONFINED SPACES QUIZ

9. Which is the most common cause of death and injury in confined spaces?
- Falls
 - Asphyxiation
 - Mechanical Hazards
 - Fire / Explosion
10. An atmosphere with oxygen content greater than 23.5% is considered:
- Oxygen Deficient
 - Oxidation Syndrome
 - Oxygen Enriched
 - Oxymoron Indulgence.
11. Workers must not enter confined spaces with atmospheres of less than 19.5% oxygen without taking appropriate precautions, including the use supplied air respirators.
- T F
12. Workers are allowed to bring compressed gas cylinders in to confined spaces.
- T F
13. If the concentrations of contaminants remains at harmful levels after ventilation, line supplied air or SCBA may have to be used to ensure a safe air supply.
- T F
14. Electrical equipment inside a confined space must be protected by a Ground Fault Circuit Interrupter (GFCI) or by using tools not requiring power greater than 24 volts.
- T F
15. Always plug in a G.F.C.I. at the end of an extension cord inside the confined space.
- T F

80 percent required for successful completion of this quiz. You must correctly answer 12 questions.

Employee Signature _____

Trainer Signature _____